JOHN R. POLLOCK,

Medical Officer of Health,

Tiverton Rural District.

REPORT

FOR HALF-YEAR ENDED 31ST DECEMBER, 1898.



TO THE

TIVERTON RURAL DISTRICT COUNCIL.

The following Report refers to the half-year which ended on the 31st December, 1898.

The general health of the district during this period has been fairly good, and the number of infectious cases notified has been much below the average.

Water Supply.—A number of samples of drinking-water have been analysed. Several have been condemned, and in these cases either a new supply has been obtained or the old supply has been made good by cleansing the sources from which the water is obtained.

Shallow Wells are being protected from contamination as far as possible.

In many cases the water used in labourers' cottages has to be carried from too great a distance. When this is found to be the case, steps are taken to induce the landowners to provide a more convenient supply. It has generally been found that the proprietors have willingly met us in this matter. There are however, a few instances where considerable friction has arisen over this subject.

House to house visitation has been carried out in various parts of the district.

Bakehouses and Slaughterhouses have, as a rule, been found in a cleanly and well-ordered condition.

It is a matter to be regretted, that the closets belonging to the houses inhabited by the lower classes are, frequently, *not* kept in the way one would expect from people enjoying the advantages of present day education.

In the country and also in the villages, pigs are kept in much too close proximity to the dwelling-houses. These piggeries, if not kept scrupulously clean (which is seldom the case) are a standing menace to the public health—this applies particularly to dairies.

At Michaelmas the late Sanitary Inspector resigned his position. Much of the present satisfactory condition of the district must be ascribed to the energetic efforts of this gentleman in carrying out the duties of his office.

The newly-appointed Inspector, Mr. Ellis, has lost no time in following the example of his predecessor, and has, in a thoroughly efficient manner begun his official duties.

ZYMOTIC DISEASES.—Of these there have only been 14 cases reported during the past half-year. This number is so much below the average, that it can hardly be expected that so good a condition of things can continue.

It is still too early to estimate what effect the new Vaccination Act may have on the public health.

The plans for the Isolation Hospital are still under consideration.

Disinfection has been carried out by means of lime-washing, sulphur, candles, &c.

Typhoid Fever.—Three cases occurred in the district, one of which ended fatally.

Scarlet Fever.—Four cases, no deaths.

DIPHTHERIA.—Five cases, one death.

Puerperal Fever.—No cases reported.

In all the above cases the disease was localized, and did not pass beyond those originally attacked.

The *diphtheria cases* seemed to have originated in faulty local sanitary conditions which have now been remedied.

Bradninch.—The new reservoir is now in use, but there is very considerable leakage, which will probably limit its utility during the summer season.

THORVERTON.—The Septic Tank system of treating sewage has been decided upon, but owing to a question as to the necessary amount of land required for irrigation, the work has not yet been completed.

Ufficulme.—The out-fall of the sewers is in a very unsatisfactory condition. This will probably be remedied during the coming year.

Deaths for half-year, 116.

Birth-rate, 22'43 per 1,000.

Death-rate, 14.06 per 1,000.

Infant Mortality, 113.51.

Zymotic Death-rate, 1.212.

Cases of Infectious Diseases notified 14.

Births in the District for the half-year ended 31st December, 1898, have been: 95 Males, 90 Females. Total 185.

Sanitary Inspector's Report attached.

General Statement of the whole District for the Half-Year ended 31st December, 1898.

PARISHES.	Population.	Acreage.	Births.	Deaths.	Death Rate per 1000.
Butterleigh Bradninch Cadbury Cadeleigh Clayhanger Cruwys Morchard Cullompton Halberton Hockworthy Huntsham Kentisbeare Loxbeare Morebath Oakford Sampford Peverell Silverton	277 113 1691 217 272 198 571 3345 1101 271 178 856 306 452 550 626 200 573	1835 479 4351 1899 2121 2083 5766 7730 5755 2582 1734 4796 1763 3549 5464 2000 4714 4336		2 1 8 2 2 2 2 2 2 3 12 3 3 2 4 5 9	14·44 17·70 9·47 18·43 14·70 20·20 7·00 13·75 21·79 22·14 7 8·85 14·54 15·97 15·00
Templeton Thorverton Uffculme Uplowman Washfield	178 828 1802 397 331 362	1895 4036 6122 2912 3319 989	*185	116	21·73 24·41 5·04 6·04 6·57

*Males, 95. Females, 90.

Mortality from all causes at Certain Ages, for the Half-Year ended 31st December, 1898.

PARISHES.	Under 1 Year.	1 and under 5.	5 and under 15.	15 and under 25.	25 and under 65.	65 and upwards.
Bickleigh Butterleigh Bradninch Cadbury Cadeleigh Clayhanger Cruwys Morchard Cullompton Halberton Hockworthy Huntsham Kentisbeare Loxbeare Morebath	 1 1 4 1 1 	1 	 1 1 1 	1 1 2 1	1 1 4 1 1 7 5 1 	 3 2 1 9 4 1 2
Oakford Sampford Peverell Silverton Stoodleigh Templeton Thorverton Uffeulme Uplowman Washfield Willand	 1 2 2 1 6 	1 2 2 	1 		1 1 4 1 3 1	1 3 6 11 1 1 2
Totals	 21	6	4	5	32	48

Mortality from the Seven Zymotic Diseases for the Half-Year ended 31st December, 1898.

PARISHES.		· Measles.	Scarlatina.	Small Pox.	Diphtheria.	Typhoid Fever.	Diarrhœa and Dysentery.	Whooping Cough.	Total.
Bickleigh									
Butterleigh						•••			
Bradninch									
Cadbury									
Cadeleigh									
Clayhanger									
Cruwys Morchard						• • •			
Cullompton			• • • •	• • •					
Halberton		• • •				1			. 1
Hockworthy	• • •	• • •	••	•••	1	• • •			1
Huntsham		• • •		• • •	• • •			•••	
Kentisbeare	• • •	,	•••	•••	• • •				
Loxbeare	• • •	• • •	•••	••	• • •	• • •		. • •	
Morebath		• • •		•••	• • •		1	•••	1
Oakford	• • • •	• • •	• • • •	•••		• • • •		• • • •	1 1
Sampford Peverell Silverton		• • •	• • •	•••	• • •	•••	-4	* * *	4
04 - 31 ! . 1				•••	•••			••	
Templeton	• • • •	•••		•••	•••	•••	• • • •	••	
Thorverton		•••	•••	* *		• •	i		1
Uffculme			• • •			• • •	i	i	$\frac{1}{2}$
Uplowman									
Washfield									
Willand									
Totals		• • •			1	1	7	1	10

Table of Population, Births, and of new Cases of Infectious Sickness, coming to the knowledge of the Medical Officer of Health, during the Half-Year ended 31st December, 1898, in the Tiverton Rural District; classified according to Diseases, Ages and Localities.

TOTALS	Uffculme	Washfield	Bampton (R.S.D)	Cullompton	SUB-DISTRICT OF Silverton	(a).	NAMES OF LOCALITIES adopted for the purpose of these Statistics; Public Institutions being shown as separate localities.			
16452	4420	2296	1084	4105	4547	(b).	Last		POPULATION AT ALL AGES.	
16495	4488	2309	1099	4314	4485	of 1898.	Estimated to		N AT ALL	
185	50	28	14	4	46	(d) R	egister Births	red		
Under 5 5 upwds.	Under 5 5 upwds.	Under 5 5 upwds.	Under 5 5 upwds.	Under 5 5 upwds.	Under 5 5 upwds.	(e)	under 5 or over 5.	Aged		
:	•	•	•	•	:	Smallpox.		1	NEW	
1	1	10	⊢	:		Scarlatina		 20	NEW CASES OF SICKNESS IN EA	
<u></u> ت		<u>ಲ</u> ು	હ	:	•	Diphtheria	l.	cc	AO OE SICE	
:	:	:	:	:	:	Membrand Croup.	ous) f=	CNESS II	
:	:	:	:	:	:	Typhus.		تن 		
00	 	23	:	:	:	Enteric or Typhoid.		6	CKNESS IN EACH LOCALITY, COMING TO THE KNOWLEDGE OF THE MEDICAL OFFICER OF HEALTH.	
:	:	:	:	:	:	Continued	FEVERS.	-7	ITY, CO	
:	:	:	:	:	:	Relapsing			MING TO	
:	:	:	:	:	:	Puerperal.		9	THE K	
:	:	:	:	:	:	Cholera.		10	NOWLE	
10				<u> </u>		Erysipelas	•	=	DGE	
						Smallpox.			NUMBI	
						Scarlatina.		25	ER OF S	
			Z			Diphtheria		60	UCH CA	
		,				Membrano Croup.	ous	4	ASES RI	
		2100) 0 +:			Typhus.		5 1	EMOVEI REATM	
		-	5			Enteric or Typhoid.	F	6	FROM ENT IN	
		0	No leolation Hospital			Continued	RS.	-7	THEIR ISOLAT	
			ν +			Relapsing.		œ	NUMBER OF SUCH CASES REMOVED FROM THEIR HOMES IN TH LOCALITIES FOR TREATMENT IN ISOLATION HOSPITAN	
						Puerperal.			IN THI	
						Cholera.		10	E SEVERAL	
277772						Erysipelas.		11	AL	

Table of Deaths during the Half-Year ended 31st December, 1898, in the Rural District of Tiverton, classified

according to DISEASES, AGES, and LOCALITIES.

	55		Total.	4	% %	7	08	H	9	က	ঝ	13	30	88	88
	231		All other Diseases.	-	10	io.	O	-	ಣ	_	-	9	I	14	#
	08		.esimiaI		್≀		 (:	-	:	:	:	:		41
AGE.	19		Cancer.	•	ψ? 	:	4	:	:	:	:	:	10	:	
ARS O	18		Heart Disease.		Ľ-	:	471	:	:	•	-	:	φ?	:	#
CHILDREN UNDER FIVE YEARS OF AGE.	17		Bronchitis, Pneumonia and Pleurisy.	-	4	:		:	:	ଦଃ	:	-	9	7	=======================================
TUER F	16		.eisidid4	-	ရာ	જ	-		:	:	c)	•	10	30	-
REN UP	15		Rheumatie Fever,	:	:	:	•	:	:	:	:	:	•	:	:
	14		Diarrhœa and Dysentery.		:	:	:	:		:	:	īΩ	:	9	-
HS OF	13		Whooping Cough.	:	:	:	:	:	:	:	:	-	:	1	:
CAUSES, DISTINGUISHING DEATHS OF	13		Measles.	:	:	:	:	:	:	:	:		•	:	:
ISHING	11		Erysipelas.	:	:	:	:	:	:	:	:				:
STINGU	10		Спојега.	:	:	:	:		:	:	:		•	:	:
SES, DI	6		Puerperal.	:	:	:			:	:	:	:	:	1:	:
	∞		Influenza.	•	:	•	•		:	:	•	:	:	:	:
BJOINE	7	FEVERS.	Continued.	:	:	:	:	:	:	•	• •	:	:	:	:
oM Su	9		Enteric or Typhoid.	*		:	:	:	:	:	:	:		:	-
MORTALITY FROM SUBJOINED	10		.sundyT		:		:	*	:		•		:	:	:
CORTAL	4		Membranous Croup.	:	:	:	:	:	:		:		:	:	:
N	ಬ		Diphtheria.		•	:	:	:		:	:	:	:		-
	ο _Σ		Searlatina.		:		:	:	:		:		:	:	:
			Smallpox.			*	:	:	:	:	:		:	:	:
			(i)	Under 5	5 upwds	Under 5	5 upwds.	Under 5	ð upwds.	Under 5	5 upwds.	Under 5	5 upwds.	Under 5	5 upwds.
	·sī	varo	rqu bas 3	4		=		or:		٥		×		<u>4</u> α	
TSES,	.29	ler	og 25 and und	=	1)	_		-	1	10)	55	5
MORTALITY FROM ALL CAUSES, AT SUBJOINED AGES,	.55	ler!	ban bas &I &	H		00 		c	0				1	ల	,
TALITY FROM ALL CA		TI-	© 2 and unde		,	o		0				-		7	,
T SUBJ	-	g a	Span bas $1 (\widehat{g})$	6	•	-	1	-	1	-	(7		6	
MORTA		sar.	© Under 1 ye	+	,	+	,	\$1	!	23		o .		1	
	-	*86	SAt all Age	ŝ	}	(-		7-		1-		:3		116	
	oted -	tics;	w as	:		:		:		•		•		:	
	ES ado	c Statis	ng show ties.	ton		Cullompton	4	ton		ıficld		lme		:	
	CALITI	for the purpose of these Statistics;	separate localities.	Sub-District of Silverton		Cullor		Bampton		Washfield		Uffculme		Totals	
	OF LC	purpose	separat	strict o		:				•				Ţ	
	NAMES	for the	Jun Dinc	Sub-Di		:				:		\$			
1															

Infectious Cases notified during the Half-Year ended 31st December, 1898, in the Tiverton Rural District.

PARISHES.		Erysipelas.	Scarlatina.	Small Pox.	Diphtheria.	Typhoid Fever.	Diarrhœa and Dysentery.	Whooping Cough.	Total.
Bickleigh									
Bickleigh Butterleigh		•••	•••	•••	•••	•••	•••	•••	•••
m n i		1	•••	•••	•••	•••		•••	• • • •
Cadbury			•••	•••		· • •	•••	•••	
Cadeleigh				• • •				•••	
Clayhanger									
Cruwys Morchard					3				
Cullompton									
Halberton	8					1			'
Hockworthy					2				
Huntsham			1						•••
Kentisbeare		• • •			• • •		• • •		•••
Loxbeare			•••			•••			
Morebath		• • •				•••			•••
Oakford	• • • •	•••	2	•••		2	• • • •		
Sampford Peverell		•••	• • •			•••	•••		•••
Silverton	• • •	• • •	•••	•••	•••		•••		
Stoodleigh	• • • •	• • •		• • •	• • • •		• • • •		
Templeton		•••	•••	•••	•••		•••		• • • •
Thorverton	• • • •	1	1	•••	•••			•••	• • • •
Uffculme	• • •	1	1	•••	•••	•••	•••	• • •	••
Uplowman Washfield		•••	•••	•••	•••	• • • •	••	• • • •	•••
VV:11a v 2		•••	*** * *		•••		•••	•••	•••
winana					•••	•••	•••		
Totals		2	4		5	3			14

TO THE

TIVERTON RURAL DISTRICT COUNCIL.

January, 1899.

I have during my quarter's term of office, visited all the Parishes throughout our District, and as far as possible together with the M.O.H., carried out a system of house-to-house visitation.

I have inspected various Slaughterhouses, Bakehouses and Dairies, and find their sanitary condition fairly satisfactory.

At Bradninch it will be advisable to re-model the lavatories in the Old Schools, and I may say it is the intention of the School Board to deal with this matter at the earliest opportunity.

Several house drains have been properly ventilated, and new closet apparatus put in.

Owners of various properties have received notices to provide wholesome water supplies. These have been, or are being complied with.

I find that many cottages derive their water supply from shallow wells. Personally, however, I have not as yet had the opportunity of testing the constancy of such supplies.

There have been two cases of overcrowding, but on receiving notice the people removed to larger premises.

I have seen to the disinfection of houses in which infectious diseases have occurred, caused several piggeries to be cleansed and properly drained, also the removal of manure heaps.

The scavenging throughout the District is fairly satisfactory.

ROBERT ELLIS,

INSPECTOR OF NUISANCES.

